Griffe

HARDWARE FOR LIFETIME

POWER TOOLS

Griffe

HARDWARE FOR LIFETIME

GR-9028A RATED POWER 350W

POLISHING PAD SIZE: 150x125mm

VOLTAGE: 220-240V-
FREQUENCY: SO/60Hz
ORBIT: 5mm
NO-LOAD SPEED: OOOO-10000rpm
PCS/CTN: 10pcs
G.W./N.W.: 20.6kg/19.6kg
CARTON SIZE: 52x28.5x34.Scm

GR-9028B RATED POWER 350W

POLISHING PAD SIZE: 198x70mm

VOLTAGE: 220-uOV-
FREQUENCY: 50/60Hz
ORBIT: 3mm
NO-LOAD SPEED: 4000-10000rpm
PCS/CTN: 10pcs
G.W./N.W.: 20.6kg/19.6kg
CARTON SIZE: 52x28.5x34.5cm

GR-9028C RATED POWER 350W

POLISHING PAD SIZE: 100x81mm

voltage :220-240v-
FREQUENCY: 50/60Hz
RATED POWER: 350W
ORBIT: 3mm
NO-LOAD
Pcs/Ctn:
G.W./N.W.: 20.6kg/19Skg
Carton size 52x28.5x34.5an

GR-9028D RATED POWER 350W

POLISHING PAD SIZE: 100x152x152mm

VOLTAGE: 220-21.OV-
FREQUENCY: 50/60Hz
RATED FOWER: 350W
ORBIT: 3mm
NO-LOAD SPEED:
RS/CTN: 10sxs
G.W./N.W: n6kg/19.6kg
CARTON SIZE52x28.sx30.5cm

SERIES POLISHER

Griffe
HARDWARE FOR LIFETIME

GR-6211 RATED POWER 710W
NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:25m
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 40x29x55cm

GR-6110A RATED POWER 450W
NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: -220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 37.5x26.5x50cm

GR-6236 RATED POWER 810W
NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-6107A RATED POWER 810W
NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:25mm
G.W./N.W.: 20kg/19kg
CARTON SIZE: 40x29x55cm

GR-6006A RATED POWER 400W
NO LOAD SPEED : 0-4300R/MIN

Drill Diameter: Steel : 6.5mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:2frm
G.W./N.W.: 15.3kg/14.3kg
CARTON SIZE: 37.5x25x47cm

GR-6036 RATED POWER 810W
NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

ELECTRIC DRILL

Griffe
HARDWARE FOR LIFETIME

GR-6110 RATED POWER 450W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm Wod 25mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 37.5x26.5x50cm

GR-6111 RATED POWER 450W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 25
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 40x29x55cm

GR-6138 RATED POWER 710W

NO LOAD SPEED : 0-300R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 35mm
G.W./N.W.: 21kg/20kg
CARTON SIZE: 40x29x55cm

GR-6115 RATED POWER 450W 710W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 25mm
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 40x29x55cm

ELECTRIC DRILL

Griffe

HARDWARE FOR LIFETIME

GR-6211 RATED POWER 710W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:25m
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 40x29x55cm

GR-6110A RATED POWER 450W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: -220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 37.5x26.5x50cm

GR-6236 RATED POWER 810W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-6107A RATED POWER 810W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:25mm
G.W./N.W.: 20kg/19kg
CARTON SIZE: 40x29x55cm

GR-6006A RATED POWER 400W

NO LOAD SPEED : 0-4300R/MIN

Drill Diameter: Steel : 6.5mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:2frm
G.W./N.W.: 15.3kg/14.3kg
CARTON SIZE: 37.5x25x47cm

GR-6036 RATED POWER 810W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood:35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

ELECTRIC DRILL

Griffe
HARDWARE FOR LIFETIME

GR-6138A
RATED POWER 710W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood : 35mm
G.W./N.W.: 22kg/21kg
CARTON SIZE: 40x29x55cm

GR-6139A
RATED POWER 810W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency: 60/50Hz
PCS/CTN: 10pcs wood : 35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-61100
RATED POWER 450W 710W

NO LOAD SPEED : 0-3300R/MIN

Drill Diameter: Steel : 10mm
Rated Volage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood : 25mm
G.W./N.W.: 16.5kg/15.5kg
CARTON SIZE: 37.5x26.5x50cm

GR-6006C
RATED POWER 400W

NO LOAD SPEED : 0-4300R/MIN

Drill Diameter: Steel : 6.5mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood : 20mm
G.W./N.W.: 16kg/15kg
CARTON SIZE: 37.5x25x47cm

GR-6211C
RATED POWER 710W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 10mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs wood : 25mm
G.W./N.W.: 19kg/18kg
CARTON SIZE: 40x29x55cm

ELECTRIC DRILL

Griffe

HARDWARE FOR LIFETIME

GR-6036C RATED POWER 810W

NO LOAD SPEED : 0-1400R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency: 60/50Hz
PCS/CTN: 10pcs Wood : 25mm
G.W./N.W.: 23kg/22.5kg
CARTON SIZE: 40x29x55cm

GR-6139 RATED POWER 810W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency: 60/50Hz
PCS/CTN: 10pcs Wood : 25mm
G.W./N.W.: 23kg/22.5kg
CARTON SIZE: 40x29x55cm

GR-61380-750
GR-61380-850 RATED POWER 450W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood : 35mm
G.W./N.W.: 21 kg/20.5kg
CARTON SIZE: 40x29x55cm

GR-6137A RATED POWER 810W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 35mm
G.W./N.W.: 25kg/24kg
CARTON SIZE: 42.5x30.5x55cm

GR-6132 RATED POWER 1050W

NO LOAD SPEED : 0-1100/0-3100R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs Wood : 40
G.W./N.W.: 17kg/16kg
CARTON SIZE: 47.5x34.5x27.5cm

IMPACT DRILL

Griffe

HARDWARE FOR LIFETIME

GR-6138C RATED POWER 710W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood
G.W./N.W.: 22kg/21kg
CARTON SIZE: 40x29x55cm

CE
RoHS

GR-6139C RATED POWER 810W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

CE
RoHS

GR-6138CL-750 / GR-6138CL-850 RATED POWER 750W / 850W

NO LOAD SPEED : 0-2800R/MIN

Drill Diameter: Steel : 13mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs Wood: 35mm
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

CE

IMPACT DRILL

Griffe

HARDWARE FOR LIFETIME

GR-6166C RATED POWER 1200W

NO LOAD SPEED : 950R/MIN

Drill Diameter: Steel : 16mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs Wood : 32mm
G.W./N.W.: 22kg/21kg
CARTON SIZE: 69x37x31cm

GR-6166 RATED POWER 1200W

NO LOAD SPEED : 950R/MIN

Drill Diameter: Steel : 16mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs wood : 32mm
G.W./N.W.: 22kg/21kg
CARTON SIZE: 69x37x31cm

GR-6168 RATED POWER 1200W

NO LOAD SPEED : 0-950R/MIN

Drill Diameter: Steel : 16mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs Wood: 32mm
G.W./N.W.: 22kg/21kg
CARTON SIZE: 69x37x31cm

GR-6191 RATED POWER 1600W

NO LOAD SPEED : 1050R/MIN

Drill Diameter: Steel : 19mm
Rated Voltage: 220-240V-
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs Wood
G.W./N.W.: 22kg/21kg
CARTON SIZE: 69x39x31cm

ELECTRIC DRILL

Griffe
HARDWARE FOR LIFETIME

GR-9857 RATED POWER 780W

NO LOAD SPEED : 12000R/MIN

Disc diameter:l 15mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 23kg/22kg
Carton 60x31.5x23cm

GR-9857C / GR-9857CA RATED POWER 780W / 1200W

NO LOAD SPEED : 12000R/MIN

Disc diameter:100mm(4")115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9857A RATED POWER 1200W

NO LOAD SPEED : 12000R/MIN

Disc diameter:100mm(4")115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Cm: 10pcs
G.WJUW: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9856 RATED POWER 850W

NO LOAD SPEED : 12000R/MIN

Disc diameter:100mm(4")115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Cm: 10pcs
G.WJUW: 23kg/22kg
Carton size: 60x31.5x23cm

ANGLE GRINDER

Griffe
HARDWARE FOR LIFETIME

GR-9856A RATED POWER 1000W

NO LOAD SPEED : 12000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9536 RATED POWER 850W

NO LOAD SPEED : 11000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9856C / GR-9856CA RATED POWER 850W / 1000W

NO LOAD SPEED : 12000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9547 RATED POWER 1020W

NO LOAD SPEED : 11000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 62.5x35.5x20cm

GR-9533M RATED POWER 850W

NO LOAD SPEED : 11000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 60x31.5x23cm

GR-9850A RATED POWER 950W

NO LOAD SPEED : 11000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V-
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 23kg/22kg
Carton size: 62.5x35.5x20cm

ANGLE GRINDER

Griffe
HARDWARE FOR LIFETIME

GR-9851 RATED POWER 1050W
NO LOAD SPEED : 12000R/MIN

Disc diameter:l 15mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 21kg/20kg
Carton 64x35x20cm

GR-9190 RATED POWER 2000W
NO LOAD SPEED : 8300R/MIN

Disc diameter:l 15mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 22kg/21kg
Carton 62.5x35x20cm

GR-9852 RATED POWER 1200W
NO LOAD SPEED : 11000R/MIN

Disc diameter:115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 22kg/21kg
Carton 62x35x20cm

GR-9533 RATED POWER 850W
NO LOAD SPEED : 11000R/MIN

Disc diameter:115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 22kg/21kg
Carton 62.5x35x20cm

GR-9125A GR-9125AT RATED POWER 1200W
NO LOAD SPEED : 11000/3000-11000R/MIN

Disc diameter:115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 23kg/22kg
Carton 61x31.5x23cm

ANGLE GRINDER

Griffe
HARDWARE FOR LIFETIME

GR-9533C RATED POWER 850W
NO LOAD SPEED : 11000R/MIN

Disc diameter:115mm (4.5')
voltage: 220-240V-
Frequency: 50/60Hz
Ps/Cm.▪ 10pcs
G.WJN.W: 21kg/20kg
Carton 62.5x35x23cm

GR-9535S RATED POWER 900W
NO LOAD SPEED : 11000R/MIN

Disc diameter:100mm(4")/115mm (4.5")
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 21kg/20kg
Carton size: 62.5x35x20cm

GR-9126 GR-9151 RATED POWER 1600W
NO LOAD SPEED : 12000R/MIN

Disc diameter: 125mm(5")/150mm (6")
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 6pcs
G.W./N.W.: 25kg/24kg
Carton size: 47.5x46x32cm

GR-9535L GR-9535LT RATED POWER 900W
NO LOAD SPEED : 11000/3000-11000R/MIN

Disc diameter: 100mm(4")/115mm (4.5")
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 22.5kg/21.5kg
Carton size: 62.5x37x20cm

GR-9180 GR-9230 RATED POWER 2500W
NO LOAD SPEED : 8300/6500R/MIN

Disc diameter: 180mm(7")/230mm(9")
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 4pcs
G.W./N.W.: 29kg/28kg
Carton size: 55.5x39x33cm

ANGLE GRINDER

Griffe
HARDWARE FOR LIFETIME

GR-9023C RATED POWER 350W

ORBITAL SPEED : 0-14000R/MIN

Pad Size : 125x125mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 20kg/19kg
Carton size: 67x41.5x18.5cm

GR-9025 RATED POWER 450W

ORBITAL SPEED : 10000R/MIN

Pad Size :150x150mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 6pcs
G.W./N.W.: 14.5kg/13.5kg
Carton size: 47x31.5x40cm

GR-9030C RATED POWER 230W

ORBITAL SPEED : 15000R/MIN

Pad Size : 110x100mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 15.6kg/14.6kg
Carton size: 72x33.5x19.5cm

GR-9036C RATED POWER 320W

ORBITAL SPEED : 14000R/MIN

Pad Size :93x185mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 20.6kg/19.6kg
Carton size: 52x28.5x34.5cm

SANDER

Griffe
HARDWARE FOR LIFETIME

GR-4901 RATED POWER 350W

ORBITAL SPEED : 0-10000R/MIN

Pad Size : 115x229mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 5pcs
G.W./N.W.: 17kg/16kg
Carton size: 63.5x34.5x22.5cm

GR-9030A RATED POWER 230W

ORBITAL SPEED : 15000R/MIN

Pad Size : 110x100mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 16kg/15kg
Carton size: 72x33.5x19.5cm

GR-9036A RATED POWER 230W

ORBITAL SPEED : 14000R/MIN

Pad Size : 93x185mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 21kg/20kg
Carton size: 52x28.5x34.5cm

GR-7901A RATED POWER 330W

ORBITAL SPEED : 10000R/MIN

Pad Size : 115x229mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 5pcs
G.W./N.W.: 17.5kg/16.5kg
Carton size: 63.5x34.5x22.5cm

SANDER

Griffe
HARDWARE FOR LIFETIME

GR-3703A RATED POWER 500W

NO LOAD SPEED : 30000R/MIN

Collet Chuck Dimeter : 6/6.35mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 22.8kg/21.8kg
Carton size: 78x28x23.5cm

GR-9030A RATED POWER 550W

NO LOAD SPEED : 33000R/MIN

Collet Chuck Dimeter : 6/6.35mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 32.5kg/22.5kg
Carton size: 78x28x23.5cm

GR-3608C RATED POWER 900W

NO LOAD SPEED : 25000R/MIN

Chuck Diameter : 6mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 10pcs
G.W./N.W.: 21kg/20kg
Carton size: 52x28.5x34.5cm

GR-3612 RATED POWER 1600W

NO LOAD SPEED : 24000R/MIN

Chuck Diameter : 12mm
Voltage: 220-240V~
Frequency: 50/60Hz
Pcs/Ctn: 4pcs
G.W./N.W.: 27.6kg/26.6kg
Carton size: 63.5x44.5x33cm

TRIMMER . ROUTER

Griffe
HARDWARE FOR LIFETIME

GR-4210 RATED POWER 1450W
NO LOAD SPEED : 13000R/MIN

Blade Diameter : 110mm
Cutting Capacity :34mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 6pcs
G.W./N.W.: 21kg/20kg
CARTON SIZE: 66x24x37cm

GR-4701 RATED POWER 1450W
NO LOAD SPEED : 13000R/MIN

Blade Diameter : 110mm
Cutting Capacity :34mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 6pcs
G.W./N.W.: 21kg/20kg
CARTON SIZE: 66x24x37cm

GR-4701A RATED POWER 1700W
NO LOAD SPEED : 13000R/MIN

Blade Diameter : 133mm
Cutting Capacity :43mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 6pcs
G.W./N.W.: 22kg/21kg
CARTON SIZE: 66x24x37cm

GR-5186AT INPUT POWER 1400W
NO LOAD SPEED : 5500R/MIN

Blade Diameter : 185mm
Cutting Capacity : 60mm at 90°
44mm at 45"
Rated Voltage : 220-240V~
Rated Input Power :
PCS/CTN: 4pcs
G.W./N.W.: 18.5kg/17.5kg
CARTON SIZE: 48x35.5x40cm

GR-5188AT INPUT POWER 1400W
NO LOAD SPEED : 5500R/MIN

Blade Diameter : 185mm
Cutting Capacity : 60mm at 90°
44mm at 45"
Rated Voltage : 220-240V~
Rated Input Power :
PCS/CTN: 4pcs
G.W./N.W.: 18.5kg/17.5kg
CARTON SIZE: 48x35.5x40cm

GR-5246 INPUT POWER 2000W
NO LOAD SPEED : 3800R/MIN

Blade Diameter : 235mm
Cutting Capacity : 78mm at 90°
55mm at 45"
Rated Voltage : 220-240V~
Rated Input Power :
PCS/CTN: 2pcs
G.W./N.W.: 15.5kg/14.5kg
CARTON SIZE: 60x40x25cm

MARBLE CUTTER . CIRCULAR SAW

Griffe
HARDWARE FOR LIFETIME

GR-6351A INPUT POWER 1000W

NO LOAD SPEED : 4200R/MIN

Head Diameter : 35mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-3028C RATED POWER 600W

NO LOAD SPEED : 0-18000R/MIN

Wind Voume : 0-2.5m³/min
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 21kg/20.5kg
CARTON SIZE: 40x29x55cm

GR-6358 RATED POWER 1200W

NO LOAD SPEED : 4600R/MIN

Head Diameter : 35mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 24kg/23kg
CARTON SIZE: 45x33.5x37cm

GR-6132 RATED POWER 1050W

NO LOAD SPEED : 0-1100/0-3100R/MIN

Wind Voume : 0-2.5m³/min
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 21kg/20.5kg
CARTON SIZE: 40x29x55cm

VIBRATOR . BLOWER

Griffe
HARDWARE FOR LIFETIME

GR-803 INPUT POWER 2000W

NO LOAD SPEED : 250-500L/MIN

Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-4701A INPUT POWER 1900W

THE CHAIN LINEAR VELOCITY 11M/S

Cutting Width : 405mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-803 INPUT POWER 240W

NO LOAD SPEED : 250-500L/MIN

Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 10pcs
G.W./N.W.: 23kg/22kg
CARTON SIZE: 40x29x55cm

GR-3028C INPUT POWER 2500W

NO LOAD SPEED : 3800R/MIN

Blade Diameter : 355mm
Cutting Capacity : 100mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 1pcs
G.W./N.W.: 16.3kg/15.3kg
CARTON SIZE: 53.5x31x42cm

GR-4255 INPUT POWER 1850W

NO LOAD SPEED : 6000R/MIN

Blade Diameter : 255mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 1pcs
G.W./N.W.: 16.3kg/15.3kg
CARTON SIZE: 53.5x31x42cm

OTHER PRODUCTS

Griffe
HARDWARE FOR LIFETIME

GR-61605 INPUT POWER 550W

NO LOAD SPEED : 500-3000L/MIN

Cutting Capacity: Steel : 6mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs Wood : 60mm
G.W./N.W.: 17.5kg/16.5kg
CARTON SIZE: 46x34x30cm

GR-1982B INPUT POWER 650W

NO LOAD SPEED : 16000R/MIN

Width of Cutter : 82mm
Cut-depth : 1mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 5pcs
G.W./N.W.: 17.5kg/16.5kg
CARTON SIZE: 46x34x30cm

GR-8631 INPUT POWER 850W

NO LOAD SPEED : 1000-2500R/MIN

Blade Diameter : 180mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 4pcs
G.W./N.W.: 16.2kg/15.2kg
CARTON SIZE: 49.5x34x55cm

GR-1982B INPUT POWER 1200W

BELT SPEED : 16000R/MIN

Sanding Belt Size : 100x620mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 4pcs
G.W./N.W.: 30.8kg/29.8kg
CARTON SIZE: 48x48x40cm

GR-8632 INPUT POWER 850W

NO LOAD SPEED : 1000-1800R/MIN

Grinding Disc Diameter : 255mm
Rated Voltage : 220-240V~
Rated Frequency : 60/50Hz
PCS/CTN: 1pcs
G.W./N.W.: 6.25kg/5.25kg
CARTON SIZE: 111x29x21cm

OTHER PRODUCTS

Griffe
HARDWARE FOR LIFETIME

GR-8901 INPUT POWER 1600W

NO LOAD SPEED : 0-2100R/MIN

Head Diameter :20mm
Rated Voltage : 220-240V~
Rated Frequency :60/50Hz
PCS/CTN: 4pcs
G.W./N.W.: 20kg/19kg
CARTON SIZE: 55x35x28cm

GR-8902 INPUT POWER 2300W

NO LOAD SPEED : 0-1400R/MIN

Head Diameter :168mm
Rated Voltage : 220-240V~
Rated Frequency :60/50Hz
PCS/CTN: 3pcs
G.W./N.W.: 21.3kg/20.3kg
CARTON SIZE: 39.5x36.5x34cm

GR-8903 INPUT POWER 2300W

NO LOAD SPEED : 0-1300R/MIN

Head Diameter :168mm
Rated Voltage : 220-240V~
Rated Frequency :60/50Hz
PCS/CTN: 1pcs
G.W./N.W.: 14.7kg/13.7kg
CARTON SIZE: 55x35x28cm

GR-8904 INPUT POWER 3200W

NO LOAD SPEED : 700R/MIN

Head Diameter :205mm
Rated Voltage : 220-240V~
Rated Frequency :60/50Hz
PCS/CTN: 1pcs
G.W./N.W.: 22kg/21kg
CARTON SIZE: 86x33x20.5cm

OTHER PRODUCTS

Griffe

HARDWARE FOR LIFETIME

www.griffehome.com

0086-17757950053

Yiwu International Trade City, District 2
28th Gate, 2nd Floor, 12th Street, Shop No. 14017